

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30	(corner near turn\$3) (matrix)("64" and "32" and "16" and "8") near bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/10/31 16:20
L2	12	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register) (mask\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/10/31 16:20
L3	17	(aspex semiconductor).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/10/31 16:20
L4	16	((single or one) adj clock adj cycle) near (read\$3 or writ\$3) near4 (ram)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/10/31 16:20
L5	5	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.) (corner near turn\$3) (matrix) row column cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/10/31 16:21
L6	36	(corner near turn\$3) (matrix) (size near data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/10/31 16:21
L7	74	(corner near turn\$3) (orthogonal) matrix port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/10/31 16:21
L8	3	(corner near turning) (orthogonal near	US-PGPUB;	AND	ON	2011/10/31

		memory)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			16:21
L9	10	(corner near turn\$4) (vary\$5 or varia\$4 or differ\$4) near (siz\$4 or width or dimension) near (data or word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/10/31 16:21
S1	2	"4970679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:30
S2	2	"20020032710".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:46
S3	3	(corner near turning) (orthogonal near memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:49
S4	2	"5101371".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:57
S5	496	(corner near turn\$3) (orthogonal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:58
S6	4	(corner near turn\$3) (orthogonal near (memory or storage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:59
S7	114	(corner near turn\$3) (orthogonal) matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	AND	ON	2010/03/02 13:03

			IBM_TDB			
S8	64	(corner near turn\$3) (orthogonal) matrix port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:03
S9	4	"3936806".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:09
S10	3	"3681763".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:10
S11	2	"20090197536".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:37
S12	2	"4484265".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:42
S13	3	"3189879".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:56
S14	74	corner near turning near memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 14:07
S15	67	corner near turning (shift near register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 14:07
S16	607	(corner near turn\$3) (matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO;	AND	ON	2010/03/29 10:50

			JPO; DERWENT; IBM_TDB			
S17	29	(corner near turn\$3) (matrix) ("64" and "32" and "16" and "8") near bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 10:51
S18	32	(corner near turn\$3) (matrix) (size near data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 10:53
S19	182	(corner near turn\$3) (matrix) row column cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 10:54
S20	1	("5680127").URFN.	USPAT	AND	ON	2010/03/29 11:08
S21	321	(corner near turning) (vary\$5 or varia\$4 or differ\$4) near (siz\$4 or width or dimension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 11:18
S22	9	(corner near turn\$4) (vary\$5 or varia\$4 or differ\$4) near (siz\$4 or width or dimension) near (data or word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 11:19
S23	26	((corner near turn\$4) or (orthogonal near memory)) (shift adj register) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 10:01
S26	7	data formatter with orthogonal input/output and spatial reordering	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 10:15
S27	11	((corner near turn\$4) or (orthogonal near memory)) (shift adj register) (mask adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 11:03

S28	11	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register) (mask\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 12:32
S29	182	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 12:33
S30	58	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 12:33
S31	2	"6314509".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 13:49
S32	182	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 13:51
S33	405	((corner near turn\$4 near memory) or (orthogonal near memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 14:07
S34	2	"6781898".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 10:32
S35	2	(corner near turning) (orthogonal near memory) (mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 10:55
S36	2	(corner near turn\$3) (orthogonal near memory or storage)) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	AND	ON	2010/04/01 10:55

			DERWENT; IBM_TDB			
S37	113	(corner near turn\$3) (orthogonal) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 10:55
S38	1	07/993938.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 11:14
S39	499	(corner near turn\$3) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 11:18
S40	23	(corner near turn\$3) mask\$3 near register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 11:18
S41	55	wo 94/10754	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 12:11
S42	5	improved adj configurable adj cellular adj array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 12:15
S43	4047	improved configurable cellular array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 12:17
S44	0	(improved configurable cellular array).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 12:17
S52	0	pct "1993010404"	US-PGPUB; USPAT; USOCR;	AND	ON	2010/04/01 12:20

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S53	8	(711/100,101.cds. or 712/14,22.cds. or 710/71.cds.)(corner near turn\$3) (matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:21
S54	5	(711/100,101.cds. or 712/14,22.cds. or 710/71.cds.) (corner near turn\$3) (matrix) row column cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:22
S55	1	(711/100,101.cds. or 712/14,22.cds. or 710/71.cds.) ((corner near turn\$4 near memory) or (orthogonal near memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:22
S56	6	(711/100,101.cds. or 712/14,22.cds. or 710/71.cds.) (corner near turn\$3) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:22
S57	54	aspe\$3.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:25
S58	9	(aspe\$3 semiconductor).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:26
S59	1	(aspe\$3 semiconductor limited).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:26
S60	2	"4970679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S61	2	"20020032710".pn.	US-PGPUB;	AND	ON	2010/10/26

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			13:37
S62	3	(corner near turning) (orthogonal near memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S63	2	"5101371".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S64	525	(corner near turn\$3) (orthogonal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S65	4	(corner near turn\$3) (orthogonal near (memory or storage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S66	120	(corner near turn\$3) (orthogonal) matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S67	67	(corner near turn\$3) (orthogonal) matrix port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S68	4	"3936806".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S69	3	"3681763".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	AND	ON	2010/10/26 13:37

			IBM_TDB			
S70	2	"20090197536".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S71	3	"4484265".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S72	3	"3189879".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S73	80	corner near turning near memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S74	67	corner near turning (shift near register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S75	647	(corner near turn\$3) (matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S76	30	(corner near turn\$3) (matrix) ("64" and "32" and "16" and "8") near bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S77	33	(corner near turn\$3) (matrix) (size near data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S78	199	(corner near turn\$3) (matrix) row column cell	US-PGPUB; USPAT; USOCR; FPRS; EPO;	AND	ON	2010/10/26 13:37

			JPO; DERWENT; IBM_TDB			
S79	1	("5680127").URPN.	USPAT	AND	ON	2010/10/26 13:37
S80	335	((corner near turning) (vary\$5 or varia\$4 or differ\$4) near (siz\$4 or width or dimension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S81	10	((corner near turn\$4) (vary\$5 or varia\$4 or differ\$4) near (siz\$4 or width or dimension) near (data or word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S82	26	((corner near turn\$4) or (orthogonal near memory)) (shift adj register) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S83	7	data formatter with orthogonal input/output and spatial reordering	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S84	12	((corner near turn\$4) or (orthogonal near memory)) (shift adj register) (mask adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S85	12	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register) (mask\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S86	183	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S87	59	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37

S88	2	"6314509".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S89	183	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S90	419	((corner near turn\$4 near memory) or (orthogonal near memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S91	2	"6781898".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S92	2	(corner near turning) (orthogonal near memory) (mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S93	2	(corner near turn\$3) (orthogonal near memory or storage)) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S94	119	(corner near turn\$3) (orthogonal) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S95	1	07/993938.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S96	528	(corner near turn\$3) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	AND	ON	2010/10/26 13:37

			DERWENT; IBM_TDB			
S97	24	(corner near turn\$3) mask\$3 near register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S98	55	wo 94/10754	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S99	5	improved adj configurable adj cellular adj array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S100	4559	improved configurable cellular array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S101	0	(improved configurable cellular array).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S102	0	pct "1993010404"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S103	8	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.)(corner near turn\$3) (matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S104	5	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.) (corner near turn\$3) (matrix) row column cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S105	1	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.) ((corner near turn\$4 near memory) or (orthogonal near	US-PGPUB; USPAT; USOCR;	AND	ON	2010/10/26 13:37

		memory))	FPRS; EPO; JPO; DERWENT; IBM_TDB			
S106	6	(711/100,101.cds. or 712/14,22.cds. or 710/71.cds.) (corner near turn\$3) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S107	56	aspeX.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S108	10	(aspeX semiconductor).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
S109	1	(aspeX semiconductor limited).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:38
S110	260	orthogonal near memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 12:00
S111	6	orthogonal near memory (single or one) near clock near cycle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 12:01
S112	1292	((single or one) near clock near cycle) with (read and write)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 12:07
S113	757	((single or one) near clock near cycle) with (read and write) parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 12:07
S114	234	((single or one) near clock near cycle)	US-PGPUB;	AND	ON	2011/04/13

		with (read and write) parallel matrix	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			12:08
S115	46	"711".clas. ((single or one) near clock near cycle) with (read and write) parallel matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 12:09
S116	65	corner near turn\$4 (single or one) near clock near cycle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 13:28
S117	2	"20030052885".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 14:16
S118	22614	((single or one) adj clock adj cycle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 14:19
S119	0	((single or one) adj clock adj cycle) near ((read and write) adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 14:22
S120	33	((single or one) adj clock adj cycle) near3 ((read and write) adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 14:22
S121	18	("5808959" "5872742" "6084820" "6104663" "6108250" "6191998" "6259634" "6259648" "6442098" "6452834" "6459647" "6467017" "6738279" "6778462" "6809983" "6992938" "7095076" "7139204").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2011/04/13 14:38
S122	220	((single or one) adj clock adj cycle) multi near port near memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	AND	ON	2011/04/13 14:54

			IBM_TDB			
S123	220	((single or one) adj clock adj cycle) (multi near port near memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 14:54
S124	204	((single or one) adj clock adj cycle) (multi near port near memory) read write	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/13 14:54
S125	18	("5808959" "5872742" "6084820" "6104663" "6108250" "6191998" "6259634" "6259648" "6442098" "6452834" "6459647" "6467017" "6738279" "6778462" "6809983" "6992938" "7095076" "7139204").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2011/04/14 15:26
S126	1	"6282505".pn.	US-PGPUB; USPAT; USOCR	AND	ON	2011/04/14 15:38
S127	1	"6212607".pn.	US-PGPUB; USPAT; USOCR	AND	ON	2011/04/14 15:39
S128	197	((single or one) adj clock adj cycle) (multi adj port adj memory) read write	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:05
S129	197	((single or one or a) adj clock adj cycle) (multi adj port adj memory) read write	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:05
S130	31	((single or one or a) adj clock adj cycle) near (read and write)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:06
S131	0	((single or one or a) adj clock adj cycle) near (read and write) near operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:09
S132	249	((single or one or a) adj clock adj cycle) near (write)	US-PGPUB; USPAT; USOCR; FPRS; EPO;	AND	ON	2011/04/14 16:13

			JPO; DERWENT; IBM_TDB			
S133	39	"711".clas. ((single or one or a) adj clock adj cycle) near (write)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:14
S134	18	"711".clas. ((single or one or a) adj clock adj cycle) near (write adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:16
S135	2	"6507899".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:17
S136	3	"6512711".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:22
S137	405	(multi adj port adj memory) (read or write) near access time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:27
S138	8	(multi adj port adj memory) near3 (read or write) near access time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:28
S139	50	(multi adj port adj memory) (read or write) near access near time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:29
S140	10	((single or one) adj clock adj cycle) near (read\$3 or writ\$3) (multi adj port adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:32
S141	439	((single or one) adj clock adj cycle) near (read\$3 or writ\$3) (ram)	US-PGPUB; USPAT;	AND	ON	2011/04/14 16:39

			USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB			
S142	15	((single or one) adj clock adj cycle) near (read\$3 or writ\$3) near4 (ram)	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/04/14 16:40

EAST Search History (1 Interference)

<This search history is empty>

10/ 31/ 2011 4:24:27 PM

C:\Users\malsip\Documents\EAST\Workspaces\10591922.wsp